

CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 783 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

	C-O-N-F-I-D-E- NOFORN		50X1-HUM
COUNTRY	USSR (Uzbek and Turkmen SSR)	REPORT	4.3
SUBJECT	Cities of Kokand, Ashkhabad, and Begovat	DATE DISTR. 7 April 196 NO. PAGES 2	
		REFERENCES RD	50X1-HUM
DATE OF INFO. PLACE & DATE ACQ.	SOURCE EVALUATIONS ARE DEFINITIVE. A	ODDAISAL OE CONTENT IS TENTATIVE	50X1-HUN
	The following reports on Kokand, Be		
	Attachment 1: A brief one-page rep center had been rebuilt, and the ne manner as to prevent the collapse of in the event of another earthquake.	w buildings were being spaced in s f one of them from affecting other	uch a buildings
	Attachment 2: A two-page report on seven points.	Novalid Missi a Tegetid and Skessil I	
		DENTE I-A-L ORN	
STATE	X ARMY # X NAVY X AIR # X	X X FBI NIC X	
(Note: Wash	nington distribution indicated by "X"; Field distribution by "#".)		

		C-O-N-F-I-D-E- NOFORN -2-		/- L			50X1-HUN
Attachment 3: seven points.	A two-page repo	ort on Begovat	with a	legend and	sketch	locating	
							50X1-HUM
							50X1-HUI

C-O-N-F-I-D-E-N-T-I-A-L NOFORN

18, U.S.	erial contains information affecting the National Dec. Secs. 793 and 794, the transmission or revelation	fense of the United States within the meaning of the Espionage Laws, Title nof which in any manner to an unauthorized person is prohibited by law.
		P-I-D-E-U-T-I-A-I,
OUNTRY	USSR (Turkmen SSR)	REPORT
UBJECT	Reconstruction of Ashkhabad	DATE DISTR.
	(N 37-58, N 58-23) Turkmen SSI	NO. PAGES
		references RD
ATE OF NFO. LACE &		50X1-HUN
ATE ACQ.	SOURCE EVALUATIONS ARE DEFIN	NITIVE. APPRAISAL OF CONTENT IS TENTATIVE. 50X1-HUM
the (Ashkhabad was Bosbank (State Bank) building i ived.	destroyed completely by an earthquake in 1948 and in the center of the town was the only one which 50X1-HUM
.	ning away the debris. By 1958 o	cranes, excavators, and other machinery at work nly the center of the town had been rebuilt and
clear the	men bullaings were being spaced	in such a manner as to provent the collapse of one ngs in the event of another earthquake.
clear the r of the	new buildings were being spaced nem from affecting other building plass factory reporting in 1953.	in such a manner as to provent the collapse of one ngs in the event of another earthquake. aired the drying ovens, 50X1-HUM
clear the r of the c	nem from affecting other buildings factory ren	in such a manner as to prevent the collapse of one ngs in the event of another earthquake. aired the drying ovens.

C-O-M-F-I-D-E-M-T-I-A-L

STATE	ARMY	NAVY	AIR	FBI	AEC		To Sup #	
(Note: Washin	^দ Sanitized	Copy Approv	/ed for Releas	se 2010/09/23	S: CIA-RDP8	30100246/	\053400110001-	6

18, U	material contains information affecting the .S.C. Secs. 793 and 794, the transmission	c-0-N-F-I-D-E	-"-T-I-A-L		
OUNTRY	USSR (Uzbek SSR)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	REPORT		
JBJECT	City of Kokand in Uzbek	SSR	DATE DISTR.		
			NO. PAGES REFERENCES	RD	
ATE OF					50X1-HUM
FO. ACE & ATE ACC					50X1-HUM
IL ACC	SOURCE EVALUATIONS	ARE DEFINITIVE.	APPRAISAL OF CON	TENT IS TENTATIVE	•
	The city of Kokand (N 40 approximately 140 kilome The approximate populati Uzbeks. mud huts with only a few two factories excluding carts, etc. The most si the years 1944 and 1957 station and the three ma	ters southeast on of Kokand i two-story mas the small nati gnificant deve was the asphal in streets - K	of Tashkent, to 1957 was 150, a March 1957 it sonry buildings, we enterprises alopment that to taving of the Marksa, St	he capital of 000 inhabintan was merely a capital of a railroad sengaged in malock place in the square of the alinskaya and	the Uzbek SSR. nts, mostly 50X1-HUN city of Uzbek totion and king wooden okand between e railroad Sovetskaya.
	approximately 140 kilome The approximate populati Uzbeks. mud huts with only a few two factories excluding carts, etc. The most si the years 1944 and 1957 station and the three ma The only two plants of a Plant (Kokandskyy Elektr and the phosphate plant,	ters southeast on of Kokand i in two-story mas the small nati gnificant deve was the asphal in streets - K ny importance comagnitnyy Zav shown as Poin	of Tashkent, to 1957 was 150, a Tarch 1957 it sonry buildings, we enterprises clopment that to t paving of the Karla Marksa, Stin Kokand were red), shown as 5 at 6 on attached	he capital of 000 inhabintan was merely a carailroad stengaged in males of the square of the alinskaya and the Kokand Electric 5 on attentions.	the Uzbek SSR. nts, mostly 50X1-HUN city of Uzbek tation and king wooden okand between e railroad Sovetskaya. ectromagnetic ached sketch, 50X1-HUN eople do not
3.	approximately 140 kilome The approximate populati Uzbeks. mud huts with only a few two factories excluding carts, etc. The most si the years 1944 and 1957 station and the three ma The only two plants of a Plant (Kokandskyy Elektr	ters southeast on of Kokand i two-story mas the small nati gnificant deve was the asphal in streets - K ny importance omagnitnyy Zav shown as Poin osphate plant 'actured in Kok ation.	of Tashkent, to 1957 was 150, Tarch 1957 it sonry buildings, we enterprises clopment that to t paving of the Karla Marksa, Stin Mokand were rod), shown as fet 6 on attached because of the kand's native Uz	he capital of 000 inhabintary was merely a capital of a railroad standard in males place in the square of the calinskaya and the Kokand Eleoint 5 on att sketch.	the Uzbek SSR. nts, mostly 50X1-HUN city of Uzbek totion and king wooden okand between e railroad Sovetskaya. ectromagnetic ached sketch, 50X1-HUN eople do not r. s to moet the
3.	approximately 140 kilome The approximate populati Uzbaks. mud huts with only a few two factories excluding carts, etc. The most si the years 1944 and 1957 station and the three ma The only two plants of a Plant (Kokandskyy Elektr and the phosphate plant, want to live near the ph Various items were manuf needs of the local popul New Times (Yangimadan) w	ters southeast on of Kokand i two-story mas the small nati gnificant deve was the asphal in streets - K ny importance omagnitnyy Zav shown as Poin osphate plant 'actured in Kok ation.	of Tashkent, to 1957 was 150, Tarch 1957 it sonry buildings, we enterprises dopment that to t paving of the Karla Marksa, Stin Kokand were red), shown as to 6 on attached because of the kand's native Uz	he capital of 000 inhabintary was merely a capital of a railroad standard in males place in the square of the calinskaya and the Kokand Eleoint 5 on att sketch.	the Uzbek SSR. nts, mostly 50X1-HUN city of Uzbek totion and king wooden pkand between e railroad Sovetskaya. ectromagnetic ached sketch, 50X1-HUN eople do not r.

Kokand Electromagnetic Plant (Kokandskyy Elektromagnitnyy Zavod)

Uzbek Geophysical Institute for Oil and Gas Research (Uzbekskiy Geofizicheskiy Institut Razsledovaniya Mefti i Gaza). A report giving further information on this Institute is in preparation.


Sanitized Copy Approved for Release 2010/09/23 : CIA-RDP80T00246A053400110001-6 HUM

50X1-HUM

C-O-M-F-I-D-F-M-T-I-A-L
NOFOR

Cinema

I hosphate Plant



Sanitized Copy Approved for Release 2010/09/23 : CIA-RDP80T00246A053400110001-6

Sanitized Copy Approved for Release 2010/09/23 : CIA-RDP80T00246A053400110001-6

This	s material contains information affecting the U.S.C. Secs. 793 and 794, the transmission	National Defense of the United State n or revelation of which in any many	s within the meaning of the Espiona er to an unauthorized person is pro-	ge Laws, Title hibited by law. 50X1-HUM
		C-0-11-F-1-11-E-11-11-14- MOFOX	·L	
OUNTR	RY USSR (Uzbek SSR)	REPC	PRT	
UBJECT	The Town of Regovat	DATI	DISTR.	
		NO.	PAGES	
		REFE	rences RD	
ATE O	F			50X1-HUM
NFO. PLACE 8 DATE AC				50X1-HUM
ZAIL AV		ARE DEFINITIVE. APPRAISAL O	OF CONTENT IS TENTATIVE.	*************************************
	n			
	The town of Begovat (N 40 south of Tashkent, Uzbek	SSR. t	d approximately 150 ki he population is about	
	but he has no basis for t	his figure.		
1.	Metal Plant (Metalzavod) and pipes. It was locate and the bridge over an un were one-storied and made	d north of the central identified stream. All	part of town, between the buildings in the p	the prison plant area
	plant, also of red brick, entire plant was surround	whose height Source died by a one and a half he number of employees	d not venture to estime by two meter high red to at about 500. A spur-	ate. The brick track enter-
2•	Prison: (300 by 300 by f surrounded by a wall three blocks, protected by barb	e to four meters high, ed wire one meter high.	made of noured coment (or cement as
	situated on each of the f the outside the cement pr part visible through the and the roof.	ison building appeared barbed wire was the upp the num	square and one-storied er section of the barr ber or kind of inmates	the only ed windows 50X1-HUM
	(Point No. 2 on Sketch)	abor gangs were seen in		r guard• 50X1-HUM

AEC

(Note: Washington distribution indicated by "x"; Field distribution by "#".)

Sanitized Copy Approved for Release 2010/09/23 : CIA-RDP80T00246A053400110001-6

ARMY

STATE

NAVY

٠, ٠,	C-C-T-T-T-T-T-T-T-T-T-T-T-T-T-T-T-T-T-T
	7×4 1 7 7 7 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	- 2
3.	Mighway Dridge: Four meters wide by ten meters long, over an unidentified stream about four to five meters wide. The bridge was located north of the 50X1-HUM central area of the town and east of the metal plant and prison. The road was asphalted to Leninabad. The only description of the bridge was that it was made mostly of cement and some iron. About 200 meters northeast of the bridge was the railroad sour which entered the Tetal Plant (Point To. 3 on Sketch).
4.	New construction had been going on across the road south of the Netal Plant. it could have been housing for workers at the Metal Plant (Point No. 4 in Sketch).
5•	Restaurant (100 by 100 by four moters) located about 100 meters east of the Metal Plant and 20 to 30 meters south of the railroad line. It was a one-story, almost square brick building containing a restaurant and food store combined. It was patronized by the Metal Plant workers, and was capable of feeding several hundred workers at one time (Point To. 5 on Sketch).
6.	Trisoner-of-War Shacks: Twelve to fifteen barracks and three or four one-story brick buildings 2 were located about 200 meters east of the Metal Plant. The size of the barracks was standard (approximately ten by thirty by three meters). They were built of rough logs and boards, and mud was used to plug up the holes; the floors were of swept earth. The size of the Metal Plant. The size of the Metal Plant. The size of the built of rough logs and boards, and mud was used to plug up the holes; the floors were of swept earth. The size of the Metal Plant. The size of the Metal Plant. The size of the size of the Metal Plant. The size of the Metal Plan
7•	Cement Plant (Tsementnyv Zavod): 300 by h00 by ten moters. a Cement Plant3 was located "somewhere on the other side of town". In relation to the Metal Plant which was closer to Tashkent, the Cement Plant appeared to be on the opposite side of Pegovat (Point "o. 7 on Sketch).
8.	Roads and Highways: The highway running through Regovat in a north-south direction connected Tashkent with Leninabad (N h0-17, E 69-37); the immediate approaches to the town were asphalted. The intersecting road running east-west was also partly asphalted. They were both four to five meters wide. Other roads in the area, as well as the highway outside regovat, were dirt roads, dusty in good weather and muddy in wet weather (See Sketch).
9•	Railroad:
L	Tashkent".

Sanitized Copy Approved for Release 2010/09/23 : CIA-RDP80T00246A053400110001-6 OX1-HUM

C-O-M-F-I-D-E-M-T-I-A-L

att To C-0-11-F-I-F-E-1-1-1-L NOFORN - 3 -50X1-HUM stream ㅁ윤ㅁ 7chimney road center of town Legend: Metal Plant
 Prison 3. Bridge 4. New construction 5. Restaurant
6. Prisoner-of-war Shacks
7. Cement Plant

Sanitized Copy Approved for Release 2010/09/23 : CIA-RDP80T00246A053400110001-6

C-O-M-F-I-D-E-M-T-I-A-L